



P.B. Marble Services Co.

Products for the Restoration Industry

15216 Hartsook St. Sherman Oaks, CA 91403

Voice (800)788-8478 (818)783-3588 Fax (818)784-9924

Web: www.marbleservices.com E-mail: pini@marbleservices.net

INDEX

[Floor Restoration Machines & Planetary System](#) 2

[Wet & Dry Hand Grinders & Polishers](#) 3

[Polishing Materials](#) 4

[Diamond Pads](#) 6

[Sealers Chemicals & Glue](#) 8

[Accessories](#) 13

[Terrazzo & Concrete Grinding Machines](#) 14

[Chip & Fill Kit](#) 15

[Non Slip Treatment](#) 16

All Prices don't include Shipping & Handling.

To see more details please visit our web site

Voice (800)788-8478 (818)783-3588 Fax (818)784-9924

Web: www.marbleservices.com E-mail: pini@marbleservices.net

Floor Grinding Machines & Planetary System

 <p style="text-align: center;">HAWK</p> <p style="text-align: center;">Floor Restoration Machine</p> <p>Model : HP1517MXHD (17"-20") 160 RPM</p> <p>Power cord: 50 feet</p> <p>Motor: 1.5 HP Dual capacitor.</p> <p>Gear box : 1-11 Heavy Duty.</p> <p>Machine weight : 120 Lbs.</p> <p>Not including extra weights or water tank.</p> <p style="text-align: center;">\$1295.00</p>	<p style="text-align: center;">Planetary System</p> <p style="text-align: center;">Super Fast Grinding Marble & Granite</p> <p style="text-align: center;">3 disc counter rotating gear driven</p> <p style="text-align: center;">K1000 \$ 1095.-</p> 
--	---

Steel Wool

For Crystallization

17" (0 to 3) [12 box] \$ 70

Wet & Dry Hand Grinders & Polishers

FLEX

LW 1302 AT



Wet stone grinder with a metal composite housing.

Rugged and powerful. With central water intake for grinding of natural stone.

- Quick-release brass coupling for 1/2" water hose.
- Shaped plug (12 h)
- M 14 spindle thread

3511 - \$460.-

FLEX

LW 603 VR





Wet stone grinder

Lightweight and high torque. with central water intake for wet grinding of granite and marble.

- Variable speed.
- Quick-release brass coupling for 1/2" water hose.
- Shaped plug (12 h)
- M 14 spindle thread

3510 - \$435.-

<p style="text-align: center;">Alpha</p> <p>115V / 4 Amp. / 2000 PRM 5 Lbs.</p> <p>Standard Equipment</p> <ul style="list-style-type: none"> • Ground Fault Circuit Interrupter • Water Valve and hose. • Faucet/garden hose adapter • Wrenches • Side handle (reversible) • Rubber coated electrical <p>(for dust and water protection)</p>	<p style="text-align: center;">Alpha</p> <p style="text-align: center;"><i>Electric Polisher</i></p>  <p style="text-align: center;">3800 - \$380.-</p>	<p style="text-align: center;">SUHNER</p> <p>X Series Grinders / Polishers Are equipped with a central waterfeed and can be used for wet or dry grinding and polishing.</p> <p>UXD 2/4</p> <p>UXD-2 [750W / 110V / 2000 RPM]</p> <p>UXD-4 [750W / 110V / 4000 RPM]</p> <p>UXD-2 - 3600 - \$399.-</p> <p>UXD-4 - 3601 - \$399.-</p>	<p style="text-align: center;">SUHNER</p> 
--	---	--	--

Polishing Materials

<p style="text-align: center;"><u>HG Products</u></p> <p style="text-align: center;"><u>Crystallizer</u></p>  <p>Excellent Marble Crystallizer made in USA</p> <p style="text-align: center;">5150 5LT \$6500</p> <p style="text-align: center;">Steel Wool</p>	<p style="text-align: center;"><u>Aguila Products - Spain</u></p> <p>Marble & Granite Polishing Materials (Powders, Liquid & Sticks)</p>  <p>Gialotex: Polishing Powder for Marble</p> <p>7504 (2 Kilos - 4.4 LB) \$2600</p> <p>Potea Blanca: Polishing Powder for Light color Granite</p> <p>7500 (2 Kilos - 4.4 LB) \$3500</p>	<p style="text-align: center;"><u>Pink Star - Spain</u></p> <p style="text-align: center;">Marble Crystallizer</p>  <p>Liquid Polish (Crystallizer) Perfect for Marble</p> <p style="text-align: center;">7510 5LT \$40.00</p> <p style="text-align: center;">Steel Wool</p>
---	---	--

<p>For Crystallization</p> <p>17" (0 to 3) [12 box] \$ 55.0</p>	<p>Potea Grris: Polishing Powder for Dark color Granite</p> <p>7502 (2 Kilos - 4.4 LB) \$2800</p>	<p>For Crystallization</p> <p>17" (0 to 3) [12 box] \$ 70</p>	
<p><u>5X</u></p> <p>Marble Polishing Powder</p> <p>#7606 5 Lb. \$75</p> <p>#7607 10 Lb. \$130-</p>	<p><u>Oxalic Acid</u> for Marble Polishing Powder</p> <p>#7509 1Lb.\$2.25</p> <p>55Lb. \$90.00</p>	<p><u>Dia-Glo</u></p> <p>Diamond Buffing Compound for Granite & Marble</p>  <p>#7580 4Lb. \$45.-</p>	<p><u>Tin Oxide</u> for Granite & Marble (dark colors)</p> <p>#7506 50Lb\$550.-</p> <p>7507 1Lb. \$15.-</p>

Polishing Materials

<p><u>Italian</u></p> <p><u>Craftsman</u></p> <p><u>Polish</u></p> <p>7401 Qrt. \$2600</p>		<p><u>Old Tyme</u></p> <p>Marble Polish</p> <p>7602 GL. \$2700</p>	
	<p><u>Polishing Stick:</u></p> <p>White & Gray for dark & light color Marble or Granite</p> <p>7906 White \$7.00 Ea.</p> <p>7908 Gray \$7.00 Ea</p>		



Granite-Glass Crystallisator

Black, or very dark, granite is one of the hardest stone to polish "**Black Granite-Glass**" has been specially formulated to get the best shine from such material.

Instructions

- **Ensure the surface is clean & dry.**
- **Shake the material before use.**
- **Do not spill the material on surface unless you polish that area immediately.**
- **Spray some material on 20 -tile (12 x 12)" use steel wool # 0**
- **With a slow buffer (150 - 175) RPM. Slowly work on those tiles until the liquid Dries and the stone shines. If you need do the process over again on the same area.**

We also produce "**Light Granite-Glass**" for light color granite.

Black Granite-Glass 2 LT. **\$30.-**

Light Granite-Glass 2 LT. **\$30.-**

Diamond Pads



Lippage 3" 50-100g \$65.- Lippage 4" 50-100g \$70.-

LIPPAGE TOOLS




are designed to grind marble and granite high lippage tiles. These lippage tools adapt directly to grinding plates and come with velcro back for easy mounting and dismounting. Effective grinding on marble, granite and natural stone tiles

TURBO CAT

DISCS are designed for heavy stock removal. These diamond bonded discs give full diamond exposure for fast and aggressive material removal. **TURBO CAT DISCS** can be employed on radial arm polishers, floor restoration equipment, hand held grinders and other allied machinery. On floor restoration

TURBO CAT



<p>machinery, TURBO CAT DISCS ride freely over lippage leaving a smooth surface.</p>	<p style="text-align: center;">Same prices as the Bull Cat</p> <p>DIAMETERS: 3" & 4" GRITS: 50, 100, 200, 325</p>
<p style="text-align: center;">BULL CAT</p>  <ul style="list-style-type: none"> • 50g 3" \$ 40.- 50g 4" \$ 45.- • 100g 3" \$ 34.- 100g 4" \$ 40.- <p>DIAMETERS: 3" & 4" GRITS: 50, 100, 200 & 325</p>	<p style="text-align: center;">BULL CAT</p> <p>DISCS are designed for hard material removal. These bonded discs give full diamond exposure for quick and aggressive grinding. The continuous diamond pattern provides smooth operation and free grinding. BULL CAT DISCS can be employed on floor restoration equipment, radial arm polishers, hand held grinders and other allied machinery. On floor restoration machinery, BULL CAT DISCS ride freely over lippage leaving a smooth finish.</p>
<p style="text-align: center;">TYPHOON</p> <p>diamond resin discs are specially designed for long life and high gloss finish. Newly designed pattern will give a high gloss finish, remove swarf and allow polishing in those difficult angles in corners and walls.</p> <p style="text-align: center;">3" All Grits \$20.- 4" All Grits \$25.-</p>	<p style="text-align: center;">TYPHOON</p>  <p style="text-align: center;">DIAMETERS: 3" & 4"</p> <p style="text-align: center;">Height: 3/8" GRITS: 30 to 8500</p>
<p style="text-align: center;">G-FLEX</p>  <ul style="list-style-type: none"> • 3" All Grits \$20.- • 4" All Grits \$24.- <p>DIAMETERS: 3" 4" 5"</p>	<p style="text-align: center;">G-FLEX</p> <p>diamond resin discs are specially formulated for granite polishing. G-FLEX diamond resin discs will bring granite to a high floss finish. These discs work effectively on hand held grinders and floor machines as well. The pattern design provides flexibility on all shapes and surface concrete.</p> <p style="text-align: center;">GRITS: 50 to 3500</p>
<p style="text-align: center;">ROSEX</p> <p>diamond resin discs are manufactured with high segments for long life and uniquely designed waterways for swarf removal. The flat surface to grinds and polishes bringing the stone to a factory finish. These discs are</p>	<p style="text-align: center;">ROSEX</p>

Voice (800)788-8478 (818)783-3588 Fax (818)784-9924

Web: www.marbleservices.com E-mail: pini@marbleservices.net

<p>designed to glide over lippage of all heights.</p> <p>GRITS: 30 to 8500</p>	 <p>3" All Grits \$15.-</p> <p>DIAMETERS: 3" & 4" Height: 1/4"</p>																																								
 <p>3" All Grits \$20.-</p> <p>DIAMETERS: 3" & 4" Height: 1/4"</p>	<p>SPIRAL</p> <p>Diamond resin discs are designed for polishing and restoration of granite and marble floors. The unique design provides flat surfaces to grind and polish bringing the stone to a factory finish. This product is also designed to glide over lippage of all heights. Also used on other polishing applications.</p> <p>GRITS: 30 to 8500</p>																																								
<p>ESAFLEX / MULTIFLEX</p> <p>7" Disc</p> 	<table border="1"> <tr> <td>E7030</td> <td>ESAFLEX</td> <td>30 GRIT</td> <td>\$90.00</td> </tr> <tr> <td>E7050</td> <td>ESAFLEX</td> <td>50 GRIT</td> <td>\$75.00</td> </tr> <tr> <td>E7120</td> <td>ESAFLEX</td> <td>120 GRIT</td> <td>\$75.00</td> </tr> <tr> <td>E7220</td> <td>ESAFLEX</td> <td>220 GRIT</td> <td>\$75.00</td> </tr> <tr> <td>E7400</td> <td>ESAFLEX</td> <td>400 GRIT</td> <td>\$75.00</td> </tr> <tr> <td>M7600</td> <td>MULTIFLEX</td> <td>600 GRIT</td> <td>\$60.00</td> </tr> <tr> <td>M7800</td> <td>MULTIFLEX</td> <td>800 GRIT</td> <td>\$60.00</td> </tr> <tr> <td>M7180</td> <td>MULTIFLEX</td> <td>1800 GRIT</td> <td>\$60.00</td> </tr> <tr> <td>M7350</td> <td>MULTIFLEX</td> <td>3500 GRIT</td> <td>\$60.00</td> </tr> <tr> <td>M7850</td> <td>MULTIFLEX</td> <td>8500 GRIT</td> <td>\$60.00</td> </tr> </table>	E7030	ESAFLEX	30 GRIT	\$90.00	E7050	ESAFLEX	50 GRIT	\$75.00	E7120	ESAFLEX	120 GRIT	\$75.00	E7220	ESAFLEX	220 GRIT	\$75.00	E7400	ESAFLEX	400 GRIT	\$75.00	M7600	MULTIFLEX	600 GRIT	\$60.00	M7800	MULTIFLEX	800 GRIT	\$60.00	M7180	MULTIFLEX	1800 GRIT	\$60.00	M7350	MULTIFLEX	3500 GRIT	\$60.00	M7850	MULTIFLEX	8500 GRIT	\$60.00
E7030	ESAFLEX	30 GRIT	\$90.00																																						
E7050	ESAFLEX	50 GRIT	\$75.00																																						
E7120	ESAFLEX	120 GRIT	\$75.00																																						
E7220	ESAFLEX	220 GRIT	\$75.00																																						
E7400	ESAFLEX	400 GRIT	\$75.00																																						
M7600	MULTIFLEX	600 GRIT	\$60.00																																						
M7800	MULTIFLEX	800 GRIT	\$60.00																																						
M7180	MULTIFLEX	1800 GRIT	\$60.00																																						
M7350	MULTIFLEX	3500 GRIT	\$60.00																																						
M7850	MULTIFLEX	8500 GRIT	\$60.00																																						

ALPHA – Diamond Pads

All Prices don't include
Shipping & Handling.



ALPHA Products

Item	Description	4"	Item	5"
• 4200	60V VITRIFIED DISC	\$93.0	4210	\$151.75
• 4201	150V VITRIFIED DISC	\$85.8	4211	\$123.75
• 4202	300V VITRIFIED DISC	\$85.8	4212	\$123.75
• 4203	500R DIAMOND DISC	\$57.75	4213	\$83.5
• 4204	1000R DIAMOND DISC	\$57.75	4214	\$83.5
• 4205	2000R DIAMOND DISC	\$57.75	4215	\$83.5
• 4206	3000R DIAMOND DISC	\$57.75	4216	\$83.5
• 4207	WHITE FINAL PAD	\$85.75	4217	\$105.6
• 4208	BLACK FINAL PAD	\$85.75	4218	\$105.6
• 4209	FELT BUFF	\$10.23	4219	\$14.75
• 4220	4" Alpha Flex. Backer Pad	\$20.95	4222	\$30.5
• 4221	4" Alpha Rigid Backer Pad	\$15.67	4223	\$24.75

Sealers Chemicals & Glue



SCOTCO Glue

6000 - Transparent - 1Qrt -
\$13.00

6001 - Transparent - 1 Gal -
\$35.00

Also Available different
Colors

Voice (800)788-8478 (818)783-3588 Fax (818)784-9924

Web: www.marbleservices.com E-mail: pini@marbleservices.net

Sealers Chemicals & Glue



511 IMPREGNATOR

- Natural Look Penetrating Sealer

WATER, STAIN & SLIP PROTECTION FOR:

Sanded Grout Quarry Tile Ceramic Tile Glazed Tile

Porcelain Tile Polished Granite Polished Marble
Terrazzo

Concrete Brick Concrete Stucco

Slate Quartz Travertine Agglomerate

511 Impregnator is a penetrating sealer designed for the protection of all medium to dense porous surfaces. 511 Impregnator forms an invisible barrier that is resistant to moisture and stains while allowing vapor to escape. 511 Impregnator is not a surface coating and will not alter the natural look. All surfaces treated are harder and less slippery. INDEPENDENT LABORATORY TESTS SHOW 511 IMPREGNATOR OUTPERFORMS COMPETITIVE PRODUCTS. (Test results are available upon request).



SPECIAL FEATURES:

Interior & Exterior Use Mold & Mildew Resistant
Weather Resistant Less Expensive Superior Coverage
Easy to Use U.V. Transparent OK for Food Areas

COVERAGE:

1,000-4,000 square feet per gallon (90-364 square meters per 3.785 liters). Container sizes; 5 gallon, gallon, quart, pint, 8 oz. spray bottle.

5002 GL \$ 75- 5003 5GL \$335

511 POROUS PLUS

- Natural Look Penetrating Sealer

WATER, STAIN AND SLIP PROTECTION FOR:

Sanded Grout Limestone ., Salthilloi Tile Flamed & Honed Granite Terra Cotta Sandstone Flagstone Honed/Textured Marble Cantera / Adoquin Cement Concrete Tile Pre-Cast Concrete Brick Slate Other Porous Surfaces

511 Porous Plus is a penetrating sealer designed for the protection of the most porous surfaces. 511 Porous Plus forms an invisible barrier that is resistant to moisture and stains while allowing vapor to escape. 511 Porous Plus is not a surface coating and will not alter the natural look. All surfaces are harder and less slippery. INDEPENDENT TESTS SHOW 511 POROUS PLUS OUT PERFORMS COMPETITIVE PRODUCTS. (Test results are available upon request),



SPECIAL FEATURES: Interior & Exterior Use Mold & Mildew Resistant Weather Resistant OK For Food Areas Superior Coverage Easy To Use U.V. Transparent

COVERAGE: 800-3,000 square feet per gallon (72-270 square meters per 3.785 liters).

Container sizes; 5 gallon, gallon, quart, pint.

5005 GL \$180.- 5006 5GL \$810.-

Sealers Chemicals & Glue

MIRA MATTE - Natural Stone Color Enhancer

COLOR ENHANCEMENT FOR TEXTURED STONE SURFACES INCLUDING;

Flamed Granite Cleft Faced Slate Flamed Limestone

Tumbled Marble lectured Cast Stone Textured Natural Stone

Mira Matte is a unique product designed to enhance the natural color of all flamed, sandblasted, split faced, tumbled and textured surfaces. When used with one of our penetrating sealers, Mira Matte seals and protects while leaving a beautiful, low maintenance, color enhanced satin sheen. Mira Matte allows vapor to escape while offering a scuff and weather resistant surface. Mira Matte is U.V. transparent, will not yellow and can be used on both interior and exterior applications.



SPECIAL FEATURES;

Interior & Exterior Easy To Use U.V. Transparent

Nonyellowing Weather Resistant Superior

COVERAGE: 200-800 square feet per gallon (18-72 square meters per 3.785 liters).

Container sizes: Gallon, auart.

5022 GL \$42.-

MIRA CLEAN #1 - Concentrated Daily Cleaner

REGULAR CLEANING FOR ALL SURFACES INCLUDING:



Marble	Granite	Terrazzo	Limestone
Ceramic Tile	Quarry Tile	Masonry Surfaces	All Grout

Mira Clean #1 is a concentrated cleaner designed for all surfaces. Strong enough for the professional, yet gentle enough for the do-it-yourself specialist. Mira Clean #1 is a nontoxic cleaner that can handle the most difficult stains, yet is gentle enough for everyday use.

SPECIAL FEATURES:

Safe For Regular Use	Interior & Exterior	Less Expensive	Easy To Use
----------------------	---------------------	----------------	-------------

COVERAGE: Up to 10,000 square feet per gallon (929 square meters per 3.785 liters).

Container sizes: 5 gallon, gallon, quart, 8 oz. spray

5007 - Qrt - \$6.- / 5008 - GL - \$18.-

LIQUID POULTICE - Specialty Deep Cleaner

DEEP CLEANING ACTION FOR MOST SURFACES INCLUDING:



Flamed & Honed Granite	Tumbled & Honed Marble	Sandstone/Flagstone	Limestone
Concrete	Terrazzo	Brick	Grout
Clay Pavers	Ceramic Tile	Masonry Surfaces	Quarry Tile

Liquid Poulitce is an environmentally safe, biodegradable cleaner designed for deep cleaning all porous materials and grout. The cleaning action of Liquid Poulitce penetrates deep into the pores of the surface to safely lift out various types of dirt and grime. Liquid Poulitce is especially effective for cleaning organic materials like coffee and tea.

SPECIAL FEATURES:

Biodegradable	Interior & Exterior	Environmentally Safe	Easy To Use
---------------	---------------------	----------------------	-------------

COVERAGE: 700 - 2,000 square feet per gallon (65 - 186 square meters per 3.785 liters).

Container sizes: Gallon, quart.

5013 - Qrt - \$28.- 5014 - GL - \$80.-

Sealers Chemicals & Glue



MIRA STRIP - Fast Acting Stripper
FLOOR COATING AND/OR WAX REMOVER FOR:

Polished & Textured Marble	Polished & Textured Granite
Ceramic & Porcelain Tile	Polished & Textured Natural & Cast Stone

Mira Strip is a fast acting stripper designed to remove traditional solvent based coatings and waxes for preparation of one of our penetrating sealers and/or color enhancing products. Mira Strip is recommended for removing Mira Matte color enhancer when necessary and may be effective as a cleaner for removing some food greases, tar and other hard to remove stains from porous materials.

SPECIAL FEATURES:
 Fast Acting Easy to Use

COVERAGE: 200-300 square feet per gallon (18-27 square meters per 3.785 liters).
 Container sizes: Gallon, quart.

5009 - Qrt - \$12.- 5010- GL - \$35.-

HNK Stone Care Products



<p><u>P19 - Marble & Granite Polish</u></p> <p>5100 P-19 Qrt \$22.00</p> <p><u>P23 - Polish Preserver</u></p> <p>5101 P-23 Qrt \$21.00</p> <p><u>P24 - Liquid Stone Soap</u></p> <p>5102 P-24 Qrt. \$15.00</p>	<p><u>S37 - Stone Sealer Satin</u></p> <p>5113 S-37 Qrt \$40.00</p> <p>5114 S-37 5LT \$150.00</p> <p><u>S45 - Water Base Impregnator</u></p> <p>5118 S-45 Qrt \$24.00</p> <p>5123 S-45 5LT \$</p>	<p><u>R55 - Intensive Cleaner</u></p> <p>Grout film Remover</p> <p>5104 R-55 Qrt \$19.50</p> <p><u>R63 - Concrete Film</u></p> <p>Remover (acid Base)</p> <p>5105 R-63 Qrt \$17.00</p>
---	---	--

<p>5119 P-24 5Lt \$70.00</p> <p><u>P27 - Re-Polishing Powder</u></p> <p>5103 P-27 Qrt \$31.00</p>	<p><u>S31 - Selant Impregnator</u></p> <p>5108 S-31 Qrt \$22.75</p> <p><u>S34 - Silicone Impregnator</u></p> <p>5109 S-34 LT \$49.-</p> <p>5110 S-34 5LT \$195.-</p>	<p><u>R77 - Rust Remover</u></p> <p>(Acid Base)</p> <p>5106 R-77 Qrt \$22.00</p> <p><u>R80 - Striper Stain</u></p> <p>Remover (Acid Free)</p> <p>5107 R-80 Qrt \$20.00</p> <p><u>R59 - Ceramic Tile</u></p> <p>Cleaner (Acid base)</p> <p>5117 R-59 Qrt \$16.00</p>
--	--	--

STONE TECH PROFESSIONAL



IMPREGNATOR PRO™
Solvent Based Impregnator/Sealer
 Superior stain protection for all natural interior and exterior stone, tile, grout, marble, granite, brick and masonry surfaces.

- Easy To Use
- Virtually Odorless
- Preserves Natural Look
- Maximum Stain Resistance
- Inhibits Efflorescence
- Deep Penetrating Protection
- Effective Water and Oil Repellent
- Interior and Exterior Use
- Weather Resistant
- Non Yellowing

Impregnator pro — Solvent base Impregnator / Sealer For Stone, Limestone, Grout, Satilo, Concrete Etc. Exterior & Interior applications.

“SCOTCO”

5500 Qrt \$30.00 5501 GI \$85.00




SLX100 Water & Oil Repellent GL \$170.0

Accessories

 <p style="color: red;">7302 17" WHITE POLISH PAD (Box 5) \$28.75</p>	 	 <p style="color: red;">Drive Pads Flat with full Velcro 17" - 19" \$ 145.- Driver Pads With 6 Rubber Velcro Heads 17" - 19" \$ 190.-</p>
 	 <p style="color: blue;">Steel Wool</p> <p style="color: red;">For Crystallization</p> <p style="color: red;">17" (0 to 3) [12 box]</p> <p style="color: red;">\$ 70.00</p>	
 		

TERRAZZO GRINDING PLUGS



DPSE02X	Segmented Plug extra coarse	\$150.00
DPSE02C	Segmented Plug coarse	\$150.00
DPSI02X	Sintered Plug extra coarse	\$155.00
DPSI02C	Sintered Plug coarse	\$155.00

Terrazzo & Concrete Grinding Machines

TERRCO 200



\$4,555

Motor - 3 H.P., 220 V, 60 cycle, AC, single phase
 Speed of Discs - 314 RPM 800 SFPM
 Abrasive Pressure - 200 lbs.
 Grinding Surface - 18 1/4"
 Stone Shape: FR-520-S 1 x 2 x 2 5/8 or FR-594 plug stone
 Width of Machine - 20"
 Length of Machine - 34"
 Machine Weight - 370 lbs.
 Shipping Weight - 465 lbs.

TERRCO 501-S AND 701-S SERIES



SPECIFICATIONS

	501-S	701-S
Motor- 230V, single phase, 'T' type	5 HP	7 1/2 HP
Speed of Disc - RPM	372	391
Surface Feet Per Minute	2724	2862
Abrasive Pressure on Discs.	440 lbs.	440 lbs.
Sweep of Discs	28"	28"
Stone Size - 2" x 2" x 2 5/8" or Plug Stone		
Width of Machine	28"	28"
Water Tank Capacity - gals.	7	7
Length of Machine - Handle Up	29 1/4"	29 1/4"
Length of Machine - Handle Down	56 1/2"	56 1/2"
Height of Handle in Grinding Position	37 1/2"	37 1/2"
Weight - Net - Machine Only - lbs.	800 lbs.	800 lbs.
Gross Weight - Domestic Crated lbs.	860 lbs.	860 lbs.

501-S \$6,895

701-S Call for price

To see **Flexible shaft machines** (Terrazzo Base Machines)

Visit our web site

Voice (800)788-8478 (818)783-3588 Fax (818)784-9924

Web: www.marbleservices.com E-mail: pini@marbleservices.net

Chip & Fill Kit

- Superior adhesion
- Superior strength
- Non-shrink, and
- Freeze-thaw and temperature stable



for granite and marble repairs.

In the repair of stone, experience is important – so is having the right materials and tools. With the Stone Art & Engraving **Chip & Fill Kit**, you will have the basic range of necessary materials available to you in one convenient container. The **Chip & Fill Kit**, developed by an experienced craftsman, contains pigments, binder, stone powder, mixing tools and an instruction booklet with helpful hints.

The **Chip & Fill Kit** is a handy way to arrive on the job prepared to start work.

Each Kit Contains:

- (7) One ounce containers of stone dust
- (7) One ounce containers of powdered pigment
- (1) Plastic Kit Box
- (2) Pumice Blocks
- (1) Razor Scraper
- (20) Single-edged Blades



- (48) Mixing Cups
- (80) Mixing Sticks
- (2) Tubes of Component (A) Binder
- (2) Tubes of Component (B) Binder
- (1) Tube of Catalyst
- (1) Instruction Booklet

Up to 40 repairs per kit.

\$145.-

Instructions

Mixing ratio is 1:1:1 or equal parts of stone dust, Patch Gel (part A) and Patch Gel (part B).

1. Make sure the surface is dry and free of dust.
2. In a mixing cup, add a portion of pulverized stone dust that closely matches the material you are working on.

3. Using the mixing stick provided, add an equal amount from Tube (A) and mix it with the stone dust.
4. Add an equal amount of Tube (B) and mix it with the other ingredients. Compare the color match to the stone needing repair. (Using the tip of a mixing stick, you may add a small amount of pigment to create a closer match if necessary.)
5. Add one drop of catalyst to the mixture and stir. Using the mixing stick, push the mixture into the area needing repair. Make certain all air bubbles are removed by moving the material back and forth with the stick.
6. When the surface of the patch begins to harden (in a few minutes), use a razor blade to remove excess patch material (on polished surfaces). If the surface is honed or frosted, use the pumice stone to grind the surface.
7. Once the patch has hardened, it can be polished using abrasive pads and polishing compounds. Recommended grits start at 400 with gradual increases to 8500 grit. If the surface is frosted or honed, a surface grind with a pumice block should be sufficient. (see "Chip Tips" for additional information)

NON SLIP TREATMENT

Benefits

1.Reason of development : For prevention of slip/fall injury on tile floor with the simplest method and the least expense

2.Statistics of slip/fall injury : By National Safety Council and Statistics Canada

Over 25,000 slip/fall accidents occur every day.

About 1/2 of injury accidents at home is from slip/fall.

Compensation claims of workmen is total 200 million dollars per year.

3.Coefficient of Friction (COF)

0.5 or above has been traditionally recognized as providing non hazardous walkway surfaces.

Americans with Disability Act and ATBCB recommend 0.6 or above for walkways and 0.8 for ramps.

4.TILE SLIP-STOP anti-slip effect by COF

Before treatment : 0.2 ~ 0.4 COF

After treatment of TILE SLIP-STOP : 0.7 ~ 0.9 COF

5.Advantages of TILE SLIP-STOP

- Best quality
- Most competitive price
- Easy spray type
- With pine scent



NO. 1001

TRUSTY-STEP

**gallon \$165.-
BATH TUB TREATMENT**

(Recommended for commercial applications)

FEATURES: Microscopically etches an invisible tread on the treated surface. One treatment makes the floor slip-resistant for a minimum of five years. Can be used indoors or outdoors. **FOR USE ON:** Ceramic, porcelain & quarry tile, marble, granite, terrazzo, cement and bathtubs. **TYPICAL APPLICATIONS:** Restaurants, hotels, supermarkets, hospitals, nursing homes, shopping centers, health clubs, etc. **COVERAGE:** 350 - 400 square feet (32.55 - 37.2 square meters) per gallon (3.79 liters). **SHELF LIFE:** 3 years. **APPLICATION INSTRUCTIONS:**

1. Pour Trusty-Step on floor.
2. Spread evenly with 9004 applicator.
3. Keep evenly wet for approximately 30 minutes, adding additional Trusty-Step as needed.
4. Rinse with water and bicarbonate of soda.
5. Squeegee or mop dry.

The floor is now ready to walk on and will remain slip-resistant for a minimum of five years.

**TRUSTY-STEP PRODUCTS ARE
THE SOLUTION TO YOUR SLIP-FALL PROBLEMS**

All Chemicals are subject to a Hazard material fee when shipped

NO. TSI-9010 - Slip Meter

A reliable, easy to use, portable Horizontal Pull Slip Meter to measure how slippery a floor surface is. This is done by measuring the force necessary to cause a fixed weight object to move. The reading taken is called the "static coefficient of friction" (SCOF).

NO. 1001 - Anti-Slip Floor & Bathtub Treatment

Microscopically etches an invisible tread on the treated surface. One treatment makes tile, marble, granite, terrazzo, cement and bathtubs slip-resistant for a minimum of five years. Can be used indoors or outdoors.

NO. 2001 - Formula 303 for the Do-It-Yourselfer

Microscopically etches an invisible tread on the treated surface. One treatment makes tile and bathtubs slip-resistant for a minimum of one year. Can be used indoors or outdoors.

NO. 3001 - Vinyl Slip-Resistant Treatment

Ideal for moderately dirty floors where buffing and a high shine are desired. TRUSTY-STEP VINYL cleans and helps restore the gloss of any type of floor surface. Most important, however, is its ability to assure a positive coefficient of friction and enhance the slip-resistant properties of any surface it is applied to.

NO. 4001 - Slip-Resistant Cleaner/Degreaser

Ideal for greasy or oily floors where buffing is not required. This concentrated, all purpose cleaner/degreaser is designed for daily use as part of Trusty-Step's Anti-Slip Floor Care Program. Enhances the slip-resistance of any floor.

NO. 4002 - Deep Cleaner/Degreaser

Ideal for heavily soiled and greasy areas where maximum cleaning power is needed.

NO. 5001 - Non-Slip Epoxy Coating

TRUSTY-STEP NON-SLIP EPOXY COATING is a water based, two part acrylic epoxy system with aluminum oxide aggregate. It creates a slip-resistant surface even on wet, oily or greasy floors, eliminates the need for dangerous solvent based urethanes and epoxy coatings and assures a positive coefficient of friction on any surface it is applied to.

NO. 5002 - Aerosol Slip-Resistant Textured Epoxy Coating

Easy to apply aerosol can. Very cost effective for coating small areas. Cures to hard, textured finish.



NO. TSI-9010

TRUSTY-STEP

\$1250

▶ Buy Now

SLIP METER

Designed to measure the slip resistance of leather, rubber and neolite on various floor surfaces.

DESCRIPTION: A reliable, easy to use, portable Horizontal Pull Slip Meter to measure how slippery a floor surface is. This is done by measuring the force necessary to cause a fixed weight object to move. The reading taken is called the "static coefficient of friction" (SCOF).

The Slip Meter features a force gauge that registers and holds the maximum force value. The dial indicates if the surface meets OSHA and/or ADA requirements.

The unit includes a drive motor with 4 C batteries, battery charger, meter block, sanding block, brush, leather, neolite and rubber feet and carrying case. **FEATURES:** Consistency of data is not dependent on user's hand/eye coordination.

Referenced in ASTM Standard Test Method F609-79.

Established credibility in legal actions.

Testing can be performed in the field.

Portable, weighs only 11 pounds.

No power cord or electrical outlet required.

Simple to operate.

Includes peak hold memory. **OPERATING INSTRUCTIONS:**

1. Place the meter block on the surface to be tested.
2. Place the drive motor in line with hooked end of the meter block.
3. Hook the string from the drive motor to the meter block.
4. Press and hold the ON button with your thumb until the meter block moves.
5. Release the ON button. The needle on the dial will point to the SCOF reading and indicate whether or not the surface meets OSHA and/or ADA requirements.