

## MAYA-625A Bridge Saw



### **Maya-625A with steel base:**

Bridge cutting machine XZQQ-625A is suitable for small and large factory. This machine is for cutting marble and granite in a manual or automatic style.

Maya-625A has the ability to cut max 126" length, 78" width and 7" thickness. The blade holder head can tilt 45 degree to chamfer (miter) the slab.



**Table:**

The table tilts up to 85 degree.



It also rotates 45 and 90 degree automatically and rotates any degrees semi automatically.



Hydraulic system:

Table movement is controlled by hydraulic.

**Laser cutting** : Laser to fit stone cutting ,make sure all



**Main parts :**

Main parts of this machine including bridge, guides and the blade holder head are made of cast iron insuring a long life, precision, corrosion resistance and acoustic benefits. The surface preparation of part include all the castings being sandblasted, washed and then painted twice.

Bridge:

Bridge beam movement is soaked in oil, guides are made of synchronized rack and pinions. with adjustment possibility.


Blade holder head:

Motor drives cutting blade directly and tilts up to 45 degree.

PLC:

Automation enables step cutting when chamfering (miter).

Blade RPM is 1440.



**Electric system :**

The electric parts includes famous brand ,like TE inverter , Omron PLC and encoder.



PACKING



PB Marble Services. Co.  
Equipment for the Stone Industry  
800 788-8478 / 818 783-3588 Fax/ 818 584-8937 pini@marbleservices.com  
www.marbleservices.com